

APPENDIX "A"

```

<!-- prices and pricerules -->
<!ELEMENT price (deposit?, installationFee?, perUseFee?, purchasePrice?, rate?,
                initialCharge?, connectionFee?)>
<!ATTLIST price frequency CDATA
"monthly">

<!ELEMENT deposit (#PCDATA)*>
<!ELEMENT installationFee (#PCDATA)*>
<!ELEMENT perUseFee (#PCDATA)*>
<!ELEMENT purchasePrice (#PCDATA)*>
<!ELEMENT rate (#PCDATA)*>
<!ELEMENT initialCharge (#PCDATA)*>
<!ELEMENT connectionFee (#PCDATA)*>

<!ELEMENT pricerules (pricerule)*>

<!ELEMENT pricerule (price, description?)>
<!ATTLIST pricerule requiredPlans CDATA #IMPLIED
                    requiredPackages CDATA #IMPLIED
                    excludedPlans CDATA #IMPLIED
                    excludedPackages CDATA #IMPLIED>

<!-- generic "decription" elements -->
<!ELEMENT description (#PCDATA)*>
<!ELEMENT longDescription (#PCDATA)*>
<!ELEMENT specialDescription (#PCDATA)*>
<!ELEMENT text (#PCDATA)*>
<!ELEMENT image (#PCDATA)*>
<!ELEMENT id (#PCDATA)*>

<!-- address -->
<!ELEMENT address (streetAddress, streetAddress2?, city, state, zipcode,
                  apartmentNumber?, latitude?, longitude?)>
<!ELEMENT streetAddress (#PCDATA)*>
<!ELEMENT streetAddress2 (#PCDATA)*>
<!ELEMENT city (#PCDATA)*>
<!ELEMENT state (#PCDATA)*>
<!ELEMENT zipcode (#PCDATA)*>
<!ELEMENT apartmentNumber (#PCDATA)*>
<!ELEMENT latitude (#PCDATA)*>
<!ELEMENT longitude (#PCDATA)*>

<!-- offering -->
<!ELEMENT offering (name, id? description, plans, features?, packages?,
                  customDataElements?, locations?, disconnect?, appointment?)>
<!ATTLIST offering requiredCustomDataElements CDATA #IMPLIED
                  requiredStandardDataElements CDATA #IMPLIED
                  paymentMethods CDATA #IMPLIED
                  contactMethods CDATA #IMPLIED
                  appointmentRequired (0 | 1) #IMPLIED
                  startDateRequired (0 | 1) #IMPLIED
                  acceptedCreditCards CDATA #IMPLIED

```

>

```

<!-- plans -->
<!ELEMENT plans (plan)*>
<!ATTLIST plans allowsNone (0 | 1) #IMPLIED>

<!ELEMENT plan (name, description?, specialDescription?, longDescription?,
               image?, params?, price, pricerules?)>
<!ATTLIST plan
  id                ID #REQUIRED
  includedFeatures  CDATA #IMPLIED
  availableFeatures CDATA #IMPLIED
  includedPackages  CDATA #IMPLIED
  availablePackages CDATA #IMPLIED
  defaultPackages   CDATA #IMPLIED
  requiredCustomDataElements CDATA #IMPLIED
  excludedCustomDataElements CDATA #IMPLIED
  requiredStandardDataElements CDATA #IMPLIED
  billingMethods     CDATA #IMPLIED
  paymentMethods     CDATA #IMPLIED
  appointmentRequired (0 | 1) #IMPLIED
  nobilling           (0 | 1) #IMPLIED
  nopayment          (0 | 1) #IMPLIED
  requiresPackage     (0 | 1) #IMPLIED
>

<!-- plan parameters -->
<!ELEMENT params (param)*>
<!ELEMENT param (name, value)>
<!ELEMENT value (#PCDATA)*>

<!-- features -->
<!ELEMENT features (feature)*>
<!ELEMENT feature (name, description?, specialDescription?, longDescription?,
                  image?, price, pricerules?)>
<!ATTLIST
  feature id                ID #REQUIRED
  requiredFeatures          CDATA #IMPLIED
  excludedFeatures          CDATA #IMPLIED
  includedPackages          CDATA #IMPLIED
  requiredCustomDataElements CDATA #IMPLIED
  excludedCustomDataElements CDATA #IMPLIED
  requiredStandardDataElements CDATA #IMPLIED
  billingMethods            CDATA #IMPLIED
  paymentMethods            CDATA #IMPLIED
  quantityRequired          (0 | 1) #IMPLIED
  appointmentRequired        (0 | 1) #IMPLIED
  nobilling                 (0 | 1) #IMPLIED
  nopayment                 (0 | 1) #IMPLIED
>

<!-- packages -->
<!ELEMENT packages (package)*>
<!ELEMENT package (name, description?, specialDescription?, longDescription?,
                  image?, price, pricerules?)>
<!ATTLIST package
  id                ID #REQUIRED
  includedFeatures  CDATA #IMPLIED

```

optionalFeatures	CDATA #IMPLIED
excludedFeatures	CDATA #IMPLIED
availableFeatures	CDATA #IMPLIED
excludedPackages	CDATA #IMPLIED
optionalFeatureCount	CDATA #IMPLIED
requiredCustomDataElements	CDATA #IMPLIED
excludedCustomDataElements	CDATA #IMPLIED
requiredStandardDataElements	CDATA #IMPLIED
billingMethods	CDATA #IMPLIED
paymentMethods	CDATA #IMPLIED
appointmentRequired	(0 1) #IMPLIED
nobilling	(0 1) #IMPLIED
nopayment	(0 1) #IMPLIED

>

<!-- custom data -->

<!--ELEMENT customDataElements (customDataElement)*>

<!--ELEMENT customDataElement (name, text, description?, longDescription?, choices?, defaultValue?, image?, parameters?)*>

| | |
|----------------------------------|------------------|
| <!--ATTLIST customDataElement id | ID #REQUIRED |
| valuetype | CDATA #REQUIRED |
| valueRequired | (0 1) #IMPLIED |

>

<!--ELEMENT choices (#PCDATA)*>

<!--ELEMENT defaultValue (#PCDATA)*>

<!--ELEMENT parameters (#PCDATA)*>

<!-- locations -->

<!--ELEMENT locations (location)*>

<!--ELEMENT location (description?, address)*>

<!-- disconnect info -->

<!--ELEMENT disconnect EMPTY>

<!--ATTLIST disconnect requiredCustomDataElements CDATA #IMPLIED>

<!-- appointment info -->

<!--ELEMENT appointment (times?, appointmentLeadDays?, serviceStartLeadDays?)*>

<!--ELEMENT times (#PCDATA)*>

<!--ELEMENT appointmentLeadDays (#PCDATA)*>

<!--ELEMENT serviceStartLeadDays (#PCDATA)*>

APPENDIX "B"

Sample Offering for Service Provider:

AT&T Consumer

<offering startDateRequired="1" billingMethods="mail email" id="" requiredCustomDataElements=""
requiredStandardDataElements="haddress hphone wphone" paymentMethods="check credit eft"
acceptedCreditCards="VISA MC AMEX DISC" appointmentRequired="0" contactMethods="phone usmail
email" exclusiveCodes="">

<appointment>

<serviceStartLeadDays>4</serviceStartLeadDays>

<times></times>

<appointmentLeadDays>4</appointmentLeadDays>

</appointment>

<appointment>

<serviceStartLeadDays></serviceStartLeadDays>

<times></times>

<appointmentLeadDays></appointmentLeadDays>

</appointment>

<regions>

<region>

<state>TX</state>

<city>Houston</city>

<county></county>

<areacode></areacode>

<zipcode></zipcode>

</region>

</regions>

<name>Houston Local</name>

<plans allowsNone="">

<plan nopayment="" appointmentRequired="" billingMethods="" availableFeatures="F1 F2 F3 F4 F5 F6
F7 F8 F9 F10 F11 F12 F13 F14 F15 F16 F17 F18 F19 F20" availablePackages="K4 K2 K1"
requiredCustomDataElements="C1 C2 C3" requiredStandardDataElements="" paymentMethods=""
includedFeatures="" includedPackages="" nobilling="" defaultPackages="K4" requiresPackage="">

<name>Local Service</name>

<longDescription>AT&T's Local Service Plan includes local telephone service with
unlimited local calling for one low price!</longDescription>

<specialDescription></specialDescription>

<price frequency="monthly">

<deposit>0</deposit>

<installationFee>39.5</installationFee>

<perUseFee></perUseFee>

<purchasePrice></purchasePrice>

<rate>16</rate>

<initialCharge>39.5</initialCharge>

<connectionFee>0</connectionFee>

</price>

<description>Includes touchtone dialing and unlimited local calls.</description>

<image></image>

<id>P1</id>

```

</plan>
</plans>
<customDataElements>
  <customDataElement id="C1" valueRequired="1" valuetype="checkbox">
    <defaultValue> </defaultValue>
    <choices> </choices>
    <longDescription> Authorization:&lt;br&gt;&lt;br&gt;

```

If you are not already an AT&T local service customer, you must authorize AT&T to switch your service.

Letter of Authorization

By clicking the box, I submit this order authorizing AT&T to switch my local service to AT&T and consent to the use of this electronic letter of authorization to record my switch. I acknowledge that I have the necessary software and hardware to submit this form electronically to AT&T, and I understand that I may withdraw my consent to use electronic records at any time by contacting AT&T at 1-888-9ATT-WEB.

Submitting this order also authorizes AT&T to notify my current local telephone company of my decision to switch to AT&T as my provider of local service. I understand that I may designate only one local service provider for the number listed on the order page. By submitting this order, I confirm that I am at least 18 years of age, a member of the household and authorized to switch local service providers. I agree to take the affirmative steps required to make this switch. I understand that AT&T will waive any fee to switch my local service. By clicking the _Submit_ button on the Order Page, I certify that I have read and agree to this letter of authorization.

I also understand that my AT&T may have different calling areas, rates, and charges than my current telephone company and that by submitting this order, I indicate that I understand those differences (if any) and am willing to be billed accordingly.

For a printout of this page use the "print" button on your browser, or call 1-888-9ATT-WEBB.

You may have carrier choice protection on your phone number(s), which prevents your phone service from being switched to another company without your authorization. If you have such protection, you will need to contact your local phone company and request that it be removed. Otherwise, your request to switch to AT&T will not be successful.

```

</longDescription>

```

```

  <image> </image>

```

```

  <parameters> </parameters>

```

```

  <name> Authorization</name>

```

```

  <description>I choose AT&T as my local telephone service provider at the billing telephone
number listed below (if I am changing providers) or at a new telephone number to be provided (if I am
activating new service). I agree to the Authorization appearing when I click the link at left. (Do not enter a
telephone number if activating a new service line).</description>

```

```

    <text> Authorization</text>

```

```

</customDataElement>

```

```

<customDataElement id="C2" valueRequired="" valuetype="phone">

```

```

  <defaultValue> </defaultValue>

```

```

  <choices> </choices>

```

```

  <longDescription> </longDescription>

```

```

  <image> </image>

```

```

  <parameters>{hideext = YES; }</parameters>

```

```

  <name> Phone</name>

```

```

  <description> </description>

```

```

    <text> </text>

```

```

</customDataElement>

```

```

<customDataElement id="C3" valueRequired="" valueType="checkbox">
  <defaultValue></defaultValue>
  <choices></choices>
  <longDescription>Local Toll (IntraLATA) Service applies to calls outside your free calling area, but
within your Local - Access Transport Area (LATA).<br><br>
Authorization<br><br>By checking the box and clicking the _Submit_ button on the Order page, I
submit this order authorizing AT&T to become my local toll service provider. If I am switching local toll
service providers at my existing billing telephone number, I submit this order authorizing AT&T to switch
my local toll service to AT&T and consent to the use of this electronic letter of authorization to record my
switch. I acknowledge that I have the necessary software and hardware to submit this form electronically to
AT&T, and I understand that I may withdraw my consent to use electronic records at any time by notifying
AT&T in writing. <br><br>If applicable, submitting this order also authorizes AT&T to
notify my local telephone company of my decision to switch to AT&T as my provider of local toll calls. I
understand that I may designate only one local toll service carrier. By submitting this order, I confirm that I am
at least 18 years of age, a member of the household and authorized to switch local toll service carriers. I agree to
take the affirmative steps required to make this switch. I understand that my local telephone company may
charge me a fee(s) to switch my local toll service to AT&T and that I may consult a representative of
AT&T as to whether a fee applies to my switch. By checking the box and clicking the _Submit_ button on
the Order page, I certify that I have read and agree to this letter of authorization. <br><br>I also
understand that AT&T may have different calling areas, rates, and charges than my current telephone
company and that by submitting this order, I indicate that I understand those differences (if any) and am willing
to be billed accordingly. <br><br>For a printout of this page use the _print_ button on your
browser. <br><br>I understand that I may have carrier choice protection on my phone number(s);
which prevents my phone service from being switched to another company without my authorization. If I have
such protection and am switching service providers, I understand that I will need to contact my local phone
company and request that it be removed.</longDescription>
  <image></image>
  <parameters></parameters>
  <name>Local Toll</name>
  <description>I choose AT&T for Local Toll Service and agree to the Authorization appearing
when I click the Local Toll link at left.</description>
  <text>Local Toll</text>
</customDataElement>
<customDataElement id="C4" valueRequired="1" valueType="phone">
  <defaultValue></defaultValue>
  <choices></choices>
  <longDescription>Select the phone number that you would like to keep. If it does not appear in the
drop down list, click _Add_ to enter that number.</longDescription>
  <image></image>
  <parameters>{hideext = YES; }</parameters>
  <name>Same Number Request</name>
  <description></description>
  <text>Same Number</text>
</customDataElement>
</customDataElements>
<customDataElements>
</customDataElements>
<features>
  <feature standardName="callWaiting" requiredFeatures="" quantityRequired="" nopayment=""

```


appointmentRequired="" billingMethods="" requiredCustomDataElements=""
requiredStandardDataElements="" paymentMethods="" nobilling="" excludedCustomDataElements=""
excludedFeatures="" id="F1">

<name>Call Waiting</name>

<longDescription>Call Waiting alerts you, when you are on another call, that another caller is trying to reach you.</longDescription>

<specialDescription></specialDescription>

<pricerules>

</pricerules>

<pricerules>

</pricerules>

<price frequency="monthly">

<deposit>0</deposit>

<installationFee>0</installationFee>

<perUseFee></perUseFee>

<purchasePrice></purchasePrice>

<rate>3</rate>

<initialCharge>0</initialCharge>

<connectionFee>5</connectionFee>

</price>

<description>Call Waiting alerts you, when you are on another call, that another caller is trying to reach you.</description>

<image></image>

</feature>

<feature standardName="voiceMail" requiredFeatures="" quantityRequired="" nopayment=""
appointmentRequired="" billingMethods="" requiredCustomDataElements=""
requiredStandardDataElements="" paymentMethods="" nobilling="" excludedCustomDataElements=""
excludedFeatures="F3" id="F2">

<name>Voice Mail</name>

<longDescription>AT&T VoiceMail is an easy-to-use service complete with many advanced features to complement your local services from AT&T. AT&T VoiceMail works hand-in-hand with your touch-tone phone and it captures important calls that sometimes go unanswered. VoiceMail has the following features: 1 minute Greeting Length, 3 minute Message Length, Maximum of 30 messages, New messages stored for 15 days, and Messages saved for 7 days.</longDescription>

<specialDescription></specialDescription>

<pricerules>

</pricerules>

<pricerules>

</pricerules>

<price frequency="monthly">

<deposit>0</deposit>

<installationFee>0</installationFee>

<perUseFee></perUseFee>

<purchasePrice></purchasePrice>

<rate>6.99</rate>

<initialCharge>0</initialCharge>

<connectionFee>5</connectionFee>
 </price>
 <description></description>
 <image></image>
 </feature>
 <feature standardName="voiceMailEnhanced" requiredFeatures="" quantityRequired="" nopayment=""
 appointmentRequired="" billingMethods="" requiredCustomDataElements=""
 requiredStandardDataElements="" paymentMethods="" nobilling="" excludedCustomDataElements=""
 excludedFeatures="F2" id="F3">
 <name>Voice Mail Plus</name>
 <longDescription>AT&T VoiceMail Plus is an easy-to-use service complete with many advanced
 features to complement your local services from AT&T. AT&T VoiceMail works hand-in-hand with
 your touch-tone phone and it captures important calls that sometimes go unanswered. VoiceMail Plus has the
 following features: 2 minute Greeting Length, 5 minute Message Length, Maximum of 40 messages, New
 messages stored for 22 days, and Messages saved for 14 days.</longDescription>
 <specialDescription></specialDescription>
 <pricerules>

 </pricerules>
 <pricerules>

 </pricerules>
 <price frequency="monthly">
 <deposit>0</deposit>
 <installationFee>0</installationFee>
 <perUseFee></perUseFee>
 <purchasePrice></purchasePrice>
 <rate>11.99</rate>
 <initialCharge>0</initialCharge>
 <connectionFee>5</connectionFee>
 </price>
 <description></description>
 <image></image>
 </feature>
 <feature standardName="distinctiveRing" requiredFeatures="" quantityRequired="" nopayment=""
 appointmentRequired="" billingMethods="" requiredCustomDataElements=""
 requiredStandardDataElements="" paymentMethods="" nobilling="" excludedCustomDataElements=""
 excludedFeatures="" id="F4">
 <name>Distinctive Ring</name>
 <longDescription>Less costly than a second line, Distinctive Ring gives you two different numbers on
 your single phone line. You can use one number for yourself and assign the second number to another family
 member or for your FAX machine. A special ring will let you know which number has been dialed, so
 you'll know instantly if the call is for you, someone else or for your FAX.
 </longDescription>
 <specialDescription></specialDescription>
 <pricerules>

 </pricerules>
 <pricerules>

</pricerules>
 <price frequency="monthly">
 <deposit>0</deposit>
 <installationFee>0</installationFee>
 <perUseFee></perUseFee>
 <purchasePrice></purchasePrice>
 <rate>3</rate>
 <initialCharge>0</initialCharge>
 <connectionFee>5</connectionFee>
 </price>
 <description></description>
 <image></image>
 </feature>
 <feature standardName="callerId" requiredFeatures="F1" quantityRequired="" nopayment=""
 appointmentRequired="" billingMethods="" requiredCustomDataElements=""
 requiredStandardDataElements="" paymentMethods="" nobilling="" excludedCustomDataElements=""
 excludedFeatures="" id="F5">
 <name>Caller ID - Name and Number</name>
 <longDescription>Now you can see the date, time, name and phone number of most incoming calls
 automatically displayed on a special unit. The caller ID unit must be purchased separately, and is available at any
 electronics store.
 </longDescription>
 <specialDescription></specialDescription>
 <pricerules>

 </pricerules>
 <pricerules>

 </pricerules>
 <price frequency="monthly">
 <deposit>0</deposit>
 <installationFee>0</installationFee>
 <perUseFee></perUseFee>
 <purchasePrice></purchasePrice>
 <rate>7</rate>
 <initialCharge>0</initialCharge>
 <connectionFee>5</connectionFee>
 </price>
 <description></description>
 <image></image>
</feature>
 <feature standardName="callWaitingIdEnhanced" requiredFeatures="F1 F5" quantityRequired=""
 nopayment="" appointmentRequired="" billingMethods="" requiredCustomDataElements=""
 requiredStandardDataElements="" paymentMethods="" nobilling="" excludedCustomDataElements=""
 excludedFeatures="" id="F6">
 <name>Call Waiting ID</name>
 <longDescription>Call Waiting ID combines the convenience of Caller ID and Call Waiting. Caller
 Waiting and Caller ID must also be ordered. It alerts you of an incoming call and displays the identity of that
 caller's name and phone number when available. You can place the first caller on hold and answer the
 second call. This feature works exactly like Call Waiting, except you can determine the identity of the incoming

caller before deciding to switch over.

```
</longDescription>
  <specialDescription> </specialDescription>
  <pricerules>

    </pricerules>
    <pricerules>

      </pricerules>
      <price frequency="monthly">
        <deposit>0</deposit>
        <installationFee>0</installationFee>
        <perUseFee> </perUseFee>
        <purchasePrice> </purchasePrice>
        <rate>2</rate>
        <initialCharge>0</initialCharge>
        <connectionFee>5</connectionFee>
      </price>
      <description> </description>
      <image> </image>
    </feature>
    <feature standardName="callBlocking" requiredFeatures="" quantityRequired="" nopayment=""
appointmentRequired="" billingMethods="" requiredCustomDataElements=""
requiredStandardDataElements="" paymentMethods="" nobilling="" excludedCustomDataElements=""
excludedFeatures="" id="F7">
      <name>Call Blocking - Full Restriction</name>
      <longDescription>Call Blocking-Full Restriction (Call Blocking) prohibits anyone from originating a
direct dialed call from a designated local exchange access line.
    </longDescription>
      <specialDescription> </specialDescription>
      <pricerules>

        </pricerules>
        <pricerules>

          </pricerules>
          <price frequency="monthly">
            <deposit>0</deposit>
            <installationFee>0</installationFee>
            <perUseFee> </perUseFee>
            <purchasePrice> </purchasePrice>
            <rate>5</rate>
            <initialCharge>0</initialCharge>
            <connectionFee>5</connectionFee>
          </price>
          <description> </description>
          <image> </image>
        </feature>
        <feature standardName="callScreening" requiredFeatures="" quantityRequired="" nopayment=""
appointmentRequired="" billingMethods="" requiredCustomDataElements=""
```

requiredStandardDataElements="" paymentMethods="" nobilling="" excludedCustomDataElements=""
excludedFeatures="" id="F8">

<name>Call Screening</name>

<longDescription>With Call Screening, you can reject calls from up to six different designated telephone numbers. You can also block the number of the last call you received, even if you don't know the phone number from which it came. These "private entries" to the call screening list, as well as the known numbers entered, can be changed at any time. The caller hears, "We are sorry, the party you're calling is not accepting calls at this time." You do not hear a thing and your phone does not ring.

</longDescription>

<specialDescription></specialDescription>

<pricerules>

</pricerules>

<pricerules>

</pricerules>

<price frequency="monthly">

<deposit>0</deposit>

<installationFee>0</installationFee>

<perUseFee></perUseFee>

<purchasePrice></purchasePrice>

<rate>3</rate>

<initialCharge>0</initialCharge>

<connectionFee>5</connectionFee>

</price>

<description></description>

<image></image>

</feature>

<feature standardName="anonymousCallRejection" requiredFeatures="F5" quantityRequired=""
nopayment="" appointmentRequired="" billingMethods="" requiredCustomDataElements=""
requiredStandardDataElements="" paymentMethods="" nobilling="" excludedCustomDataElements=""
excludedFeatures="" id="F9">

<name>Anonymous Call Rejection</name>

<longDescription>This feature allows you to automatically reject incoming calls originating from telephone numbers that have Caller ID Blocking or marked as "anonymous". This option directs callers with Caller ID Blocking to deactivate the blocking feature if they wish their call to go through.

</longDescription>

<specialDescription></specialDescription>

<pricerules>

</pricerules>

<pricerules>

</pricerules>

<price frequency="monthly">

<deposit>0</deposit>

<installationFee>0</installationFee>

<perUseFee></perUseFee>

<purchasePrice></purchasePrice>

```

    <rate>1</rate>
    <initialCharge>0</initialCharge>
    <connectionFee>5</connectionFee>
  </price>
  <description></description>
  <image></image>
</feature>
<feature standardName="unpublishedAddress" requiredFeatures="" quantityRequired="" nopayment=""
appointmentRequired="" billingMethods="" requiredCustomDataElements=""
requiredStandardDataElements="" paymentMethods="" nobilling="" excludedCustomDataElements=""
excludedFeatures="" id="F10">
  <name>Directory Non-Listed</name>
  <longDescription>With the Directory Non-Listed option, your telephone number is not listed in the
published telephone book, but is available by calling Directory Assistance.
</longDescription>
  <specialDescription></specialDescription>
  <pricerules>

  </pricerules>
  <pricerules>

  </pricerules>
  <price frequency="monthly">
    <deposit>0</deposit>
    <installationFee>0</installationFee>
    <perUseFee></perUseFee>
    <purchasePrice></purchasePrice>
    <rate>0.9</rate>
    <initialCharge>0</initialCharge>
    <connectionFee>5</connectionFee>
  </price>
  <description></description>
  <image></image>
</feature>
<feature standardName="unlistedNumber" requiredFeatures="" quantityRequired="" nopayment=""
appointmentRequired="" billingMethods="" requiredCustomDataElements=""
requiredStandardDataElements="" paymentMethods="" nobilling="" excludedCustomDataElements=""
excludedFeatures="" id="F11">
  <name>Directory Non-Published</name>
  <longDescription>With the Directory Non-Published option, your telephone number is not listed in
the published telephone book and is not available by calling Directory Assistance.
</longDescription>
  <specialDescription></specialDescription>
  <pricerules>

  </pricerules>
  <pricerules>

  </pricerules>
  <price frequency="monthly">

```

<deposit>0</deposit>
 <installationFee>0</installationFee>
 <perUseFee></perUseFee>
 <purchasePrice></purchasePrice>
 <rate>1.1</rate>
 <initialCharge>0</initialCharge>
 <connectionFee>5</connectionFee>
 </price>
 <description></description>
 <image></image>
 </feature>
 <feature standardName="callForwarding" requiredFeatures="" quantityRequired="" nopayment=""
 appointmentRequired="" billingMethods="" requiredCustomDataElements=""
 requiredStandardDataElements="" paymentMethods="" nobilling="" excludedCustomDataElements=""
 excludedFeatures="" id="F12">
 <name>Call Forwarding</name>
 <longDescription>This basic service allows subscribers to redirect important telephone calls to another
 telephone number.
 </longDescription>
 <specialDescription></specialDescription>
 <pricerules>

 </pricerules>
 <pricerules>

 </pricerules>
 <price frequency="monthly">
 <deposit>0</deposit>
 <installationFee>0</installationFee>
 <perUseFee></perUseFee>
 <purchasePrice></purchasePrice>
 <rate>3</rate>
 <initialCharge>0</initialCharge>
 <connectionFee>5</connectionFee>
 </price>
 <description></description>
 <image></image>
 </feature>
 <feature standardName="selectiveCallForwarding" requiredFeatures="" quantityRequired=""
 nopayment="" appointmentRequired="" billingMethods="" requiredCustomDataElements=""
 requiredStandardDataElements="" paymentMethods="" nobilling="" excludedCustomDataElements=""
 excludedFeatures="" id="F13">
 <name>Selective Call Forwarding</name>
 <longDescription>This feature provides the ability to forward incoming calls from pre-selected
 telephone numbers to another telephone number. You may construct or modify a telephone number-screening
 list. Incoming calls will be screened against your list and only those calls from telephone numbers on the list will
 be forwarded. This feature is available only in the 10 Feature Package.
 </longDescription>
 <specialDescription></specialDescription>
 <pricerules>

</pricerules>

<pricerules>

</pricerules>

<price frequency="monthly">

<deposit>0</deposit>

<installationFee>0</installationFee>

<perUseFee></perUseFee>

<purchasePrice></purchasePrice>

<rate>0</rate>

<initialCharge>0</initialCharge>

<connectionFee>0</connectionFee>

</price>

<description></description>

<image></image>

</feature>

<feature standardName="speedDialing" requiredFeatures="" quantityRequired="" nopayment=""
appointmentRequired="" billingMethods="" requiredCustomDataElements=""
requiredStandardDataElements="" paymentMethods="" nobilling="" excludedCustomDataElements=""
excludedFeatures="" id="F14">

<name>Speed Dialing 8</name>

<longDescription>The Speed Dialing 8 feature allows you to program up to 8 frequently called
numbers and save them by dialing them with the touch of a button rather than the complete telephone number.
This feature is available only in the 10 Feature Package.

</longDescription>

<specialDescription></specialDescription>

<pricerules>

</pricerules>

<pricerules>

</pricerules>

<price frequency="monthly">

<deposit>0</deposit>

<installationFee>0</installationFee>

<perUseFee></perUseFee>

<purchasePrice></purchasePrice>

<rate>0</rate>

<initialCharge>0</initialCharge>

<connectionFee>0</connectionFee>

</price>

<description></description>

<image></image>

</feature>

<feature standardName="autoRedial" requiredFeatures="" quantityRequired="" nopayment=""
appointmentRequired="" billingMethods="" requiredCustomDataElements=""
requiredStandardDataElements="" paymentMethods="" nobilling="" excludedCustomDataElements=""
excludedFeatures="" id="F15">

<name>Repeat Dialing</name>

<longDescription>Repeat Dialing will continue to try a number for you if the number is busy or if there is no answer the first time you dial it. This feature is only available on a per use basis. You will be charged 50¢ per use up to \$4.00.

</longDescription>

<specialDescription></specialDescription>

<pricerules>

</pricerules>

<pricerules>

</pricerules>

<price frequency="monthly">

<deposit>0</deposit>

<installationFee>0</installationFee>

<perUseFee></perUseFee>

<purchasePrice></purchasePrice>

<rate>0.5</rate>

<initialCharge>0</initialCharge>

<connectionFee>0</connectionFee>

</price>

<description></description>

<image></image>

</feature>

<feature standardName="callReturn" requiredFeatures="" quantityRequired="" nopayment=""
appointmentRequired="" billingMethods="" requiredCustomDataElements=""
requiredStandardDataElements="" paymentMethods="" nobilling="" excludedCustomDataElements=""
excludedFeatures="" id="F16">

<name>Call Return</name>

<longDescription>Call return automatically dials your last incoming call. This feature is only available on a per use basis. You will pay 50¢ per use up to \$4.00.

</longDescription>

<specialDescription></specialDescription>

<pricerules>

</pricerules>

<pricerules>

</pricerules>

<price frequency="monthly">

<deposit>0</deposit>

<installationFee>0</installationFee>

<perUseFee></perUseFee>

<purchasePrice></purchasePrice>

<rate>0.5</rate>

<initialCharge>0</initialCharge>

<connectionFee>0</connectionFee>

</price>

<description></description>

<image></image>

</feature>

<feature standardName="threeWayCalling" requiredFeatures="" quantityRequired="" nopayment=""
appointmentRequired="" billingMethods="" requiredCustomDataElements=""
requiredStandardDataElements="" paymentMethods="" nobilling="" excludedCustomDataElements=""
excludedFeatures="" id="F17">

<name>Three-Way Calling</name>

<longDescription>You can talk to two different people in two different places at one time. The calls
can be local, local toll or long distance (all applicable long distance rates will apply). One person can even be
placed on hold while having a private conversation with the other.

</longDescription>

<specialDescription></specialDescription>

<pricerules>

</pricerules>

<pricerules>

</pricerules>

<price frequency="monthly">

<deposit>0</deposit>

<installationFee>0</installationFee>

<perUseFee></perUseFee>

<purchasePrice></purchasePrice>

<rate>3</rate>

<initialCharge>0</initialCharge>

<connectionFee>5</connectionFee>

</price>

<description></description>

<image></image>

</feature>

<feature standardName="wireMaintenance" requiredFeatures="" quantityRequired="" nopayment=""
appointmentRequired="" billingMethods="" requiredCustomDataElements=""
requiredStandardDataElements="" paymentMethods="" nobilling="" excludedCustomDataElements=""
excludedFeatures="" id="F18">

<name>Inside Wire Maintenance Plus Plan</name>

<longDescription>Guarantees complete diagnosis of your inside wiring problem and any necessary
repairs to inside wiring and jacks by trained technicians.

</longDescription>

<specialDescription></specialDescription>

<pricerules>

</pricerules>

<pricerules>

</pricerules>

<price frequency="monthly">

<deposit>0</deposit>

<installationFee>0</installationFee>

<perUseFee></perUseFee>

<purchasePrice></purchasePrice>

<rate>4</rate>

<initialCharge>0</initialCharge>

<connectionFee>0</connectionFee>
 </price>
 <description></description>
 <image></image>
 </feature>
 <feature standardName="unpublishedAddress" requiredFeatures="" quantityRequired="" nopayment=""
 appointmentRequired="" billingMethods="" requiredCustomDataElements=""
 requiredStandardDataElements="" paymentMethods="" nobilling="" excludedCustomDataElements=""
 excludedFeatures="" id="F19">
 <name>Unpub. Address</name>
 <longDescription>Unpublished Address allows you to omit your address from all published directory
 materials and Directory Assistance.</longDescription>
 <specialDescription></specialDescription>
 <pricerules>

 </pricerules>
 <pricerules>

 </pricerules>
 <price frequency="monthly">
 <deposit></deposit>
 <installationFee></installationFee>
 <perUseFee></perUseFee>
 <purchasePrice></purchasePrice>
 <rate>0</rate>
 <initialCharge></initialCharge>
 <connectionFee></connectionFee>
 </price>
 <description></description>
 <image></image>
 </feature>
 <feature standardName="" requiredFeatures="" quantityRequired="" nopayment=""
 appointmentRequired="" billingMethods="" requiredCustomDataElements="C4"
 requiredStandardDataElements="" paymentMethods="" nobilling="" excludedCustomDataElements=""
 excludedFeatures="" id="F20">
 <name>Same Number</name>
 <longDescription>You may be able to keep your phone number when moving to a new address or
 switching carriers at your service address. We will attempt to maintain your current phone number. There may
 be a fee for this service. We will contact you prior to initiating new service if any fee is required to keep your
 current phone number.</longDescription>
 <specialDescription></specialDescription>
 <pricerules>

 </pricerules>
 <pricerules>

 </pricerules>
 <price frequency="monthly">
 <deposit></deposit>
 <installationFee></installationFee>

<perUseFee> </perUseFee>
 <purchasePrice> </purchasePrice>
 <rate> </rate>
 <initialCharge> </initialCharge>
 <connectionFee> </connectionFee>
 </price>
 <description> </description>
 <image> </image>
 </feature>
 </features>
 <packages>
 <package optionalFeatures="F1 F5 F8 F10 F11 F12 F17" nopayment="" appointmentRequired=""
 billingMethods="" availableFeatures="F19" requiredCustomDataElements=""
 requiredStandardDataElements="" paymentMethods="" includedFeatures="" optionalFeatureCount="3"
 nobilling="" excludedCustomDataElements="" excludedFeatures="" id="K4" excludedPackages="K2 K1">
 <name>3 Feature Pack</name>
 <longDescription>Includes your choice of 3 Features: Call Waiting, Caller ID, Call Screening, Unpub.
 Address, Unlisted Number, Call Forwarding, and 3-Way Calling.
 </longDescription>
 <specialDescription> </specialDescription>
 <pricerules>

 </pricerules>
 <pricerules>

 </pricerules>
 <price frequency="monthly">
 <deposit>0</deposit>
 <installationFee>0</installationFee>
 <perUseFee> </perUseFee>
 <purchasePrice> </purchasePrice>
 <rate>3</rate>
 <initialCharge>0</initialCharge>
 <connectionFee>0</connectionFee>
 </price>
 <description>Includes your choice of 3 Features: Call Waiting, Caller ID, Call Screening, Unpub.
 Address, Unlisted Number, Call Forwarding, and 3-Way Calling. </description>
 <image> </image>
 </package>
 <package optionalFeatures="" nopayment="" appointmentRequired="" billingMethods=""
 availableFeatures="" requiredCustomDataElements="" requiredStandardDataElements="" paymentMethods=""
 includedFeatures="F1 F5 F8 F12 F17" optionalFeatureCount="" nobilling=""
 excludedCustomDataElements="" excludedFeatures="" id="K2" excludedPackages="K4 K1">
 <name>5 Feature Pack</name>
 <longDescription>Includes Call Waiting, Caller ID, Call Screening, Call Forwarding, and 3-Way
 Calling. </longDescription>
 <specialDescription> </specialDescription>
 <pricerules>

 </pricerules>

```

<pricerules>

</pricerules>
<price frequency="monthly">
  <deposit>0</deposit>
  <installationFee>0</installationFee>
  <perUseFee> </perUseFee>
  <purchasePrice> </purchasePrice>
  <rate>8</rate>
  <initialCharge>0</initialCharge>
  <connectionFee>0</connectionFee>
</price>
<description>Includes Call Waiting, Caller ID, Call Screening, Call Forwarding, and 3-Way
Calling.</description>
<image> </image>
</package>
<package optionalFeatures="" nopayment="" appointmentRequired="" billingMethods=""
availableFeatures="F19" requiredCustomDataElements="" requiredStandardDataElements=""
paymentMethods="" includedFeatures="F1 F4 F5 F6 F8 F12 F13 F14 F15 F16 F17"
optionalFeatureCount="" nobilling="" excludedCustomDataElements="" excludedFeatures="" id="K1"
excludedPackages="K4 K2">
  <name>10 Feature Pack</name>
  <longDescription>Includes Distinctive Ring, Call Waiting, Caller ID, Call Waiting ID, Call Screening,
Call Forwarding, Selective C.F., Speed Dialing, Call Return, and 3-Way Calling.</longDescription>
  <specialDescription> </specialDescription>
  <pricerules>

</pricerules>
<pricerules>

</pricerules>
<price frequency="monthly">
  <deposit>0</deposit>
  <installationFee>0</installationFee>
  <perUseFee> </perUseFee>
  <purchasePrice> </purchasePrice>
  <rate>13</rate>
  <initialCharge>0</initialCharge>
  <connectionFee>0</connectionFee>
</price>
<description>Includes Distinctive Ring, Call Waiting, Caller ID, Call Waiting ID, Call Screening, Call
Forwarding, Selective C.F., Speed Dialing, Call Return, and 3-Way Calling.</description>
<image> </image>
</package>
</packages>
<packages>

</packages>
<locations>

```

</locations>
<locations>

</locations>
<description>Local Telephone Service - Houston, Texas</description>
<disconnect requiredCustomDataElements=""></disconnect>
<disconnect requiredCustomDataElements=""></disconnect>
</offering>

APPENDIX "C"

The following lists the DTD for retrieving all order requests for a service provider 130 from facilitation provider 140:

DTD:

```
<!ELEMENT serviceProvider (id, password) >
<!ELEMENT id ( #PCDATA ) >
<!ELEMENT password ( #PCDATA ) >
```

Example:

```
<?xml version="1.0" encoding="UTF-8"?>
<serviceProvider>
<id>my_login_id</id>
<password>my_password</password>
</serviceProvider>
```

The following lists the DTD for a response from facilitation provider 140 to service provider's 130 request to retrieve all order requests for the service provider:

DTD:

```
<!ELEMENT response (status,requests?, error?) >
<!ELEMENT status ( #PCDATA ) >
<!ELEMENT error EMPTY >
<!ATTLIST error
id CDATA #REQUIRED
description CDATA #REQUIRED
>
<!ELEMENT requests ( requestId+ ) >
<!ELEMENT requestId EMPTY >
<!ATTLIST requestId
id CDATA #REQUIRED
date CDATA #REQUIRED
>
```

Example:

```
<?xml version="1.0" encoding="UTF-8"?>
<response>
<status>Success</status>
<requests>
<requestId id="SP1000004" date="2000-12-01 14:19:25"/>
<requestId id="SP1000005" date="2000-12-01 14:25:48"/>
```

</requests>
</response>

5 The following lists the DTD for retrieving a single order request for a service provider
130 from facilitation provider 140:

DTD:

10 <!ELEMENT serviceProvider (requestId, id, password) >
 <!ELEMENT requestId (#PCDATA) >
 <!ELEMENT id (#PCDATA) >
 <!ELEMENT password (#PCDATA) >

Example:

15 <?xml version="1.0" encoding="UTF-8"?>
 <serviceProvider>
 <requestId>SP1000004</requestId>
 <id>my_login_id</id>
 <password>my_password</password>
 </serviceProvider>

20 The following lists the DTD for response from facilitation provider 140 to service
provider's 130 request to retrieve a single order request for the service provider:

DTD:

25 <!ELEMENT response (status,content?, error?) >
 <!ELEMENT status (#PCDATA) >
 <!ATTLIST error
 id CDATA #REQUIRED
 description CDATA #REQUIRED
 >
 <!ELEMENT content (#PCDATA) >

Example:

30 <?xml version="1.0" encoding="UTF-8"?>
 <response>
 <status>Success</status>
 <content>
 Name: Mr. Scott Radziewicz Jr.
 SSN: 523456789
35 Mother's Maiden Name: jones
 Email Address: me@you.com
 Identification
 Gender: Male
40 Birth City: Pottsville

5 Date of Birth: 11 Feb 1971
Mailing Address 123 main houston, TX 12345
Service start date: Sep 06 2000
Plan: BasicPackage: Value Pack
Service Address 777 Post Oak Blvd Apt #: 222 Houston, TX 77056
Number of boxes: 1
Billing: Email
10 Mr. Scott Radziewicz Jr.
me@you.com
Payment: Check
Preferred Contact Method: Phone
7136226100x100
15 </content>
</response>

The following lists the DTD for response from service provider 130 to facilitation provider 140 after receiving order request from the facilitation provider:

DTD:

20 <!ELEMENT serviceProvider (requestId, id, password, responseXml) >
<!ELEMENT requestId (#PCDATA) >
<!ELEMENT id (#PCDATA) >
<!ELEMENT password (#PCDATA) >
<!ELEMENT responseXml (#PCDATA) >

25 Example:

30 <?xml version="1.0" encoding="UTF-8"?>
<serviceProvider>
<requestId>SP1000004</requestId>
<id>my_loggin_id</id>
<password>my_password</password>
<responseXml>
35 <response id="RES1345" status="Accepted">
<errors>
<error id="CB12" description="HBO requires the use of a cable
box. One has been added to your order."/>
</errors>
<account accountNumber="TW123954"/>
<effectiveDate>7 June 2000</effectiveDate>
40 <comment>Welcome to the family</comment>
<request id="C1345">
<connect>
<monthlyFee>

<amount>\$39.95 + tax</amount>
 </monthlyFee>
 <deposit>
 <amount>\$75.00</amount>
 <depositInformation>Deposit due upon technician visit. Personal
 Check only.</depositInformation>
 </deposit>
 <appointment status="Accepted">
 <dateTime>7 June 2000 between 9am - 11am</dateTime>
 </appointment>
 <serviceSpecific>
 <localPhone>
 <phoneNumber areaCode="713" phoneNumber="6226100"/>
 <phoneNumber areaCode="713" phoneNumber="6226101"/>
 </localPhone>
 </serviceSpecific>
 </connect>
 </request>
 </response>
 </responseXml>
 </serviceProvider>

The following lists the DTD for response from facilitation provider 140 to service provider 130 after receiving request from the service provider:

DTD:

<!ELEMENT response (status,content?, error?) >
 <!ELEMENT status (#PCDATA) >
 <!ATTLIST error
 id CDATA #REQUIRED
 description CDATA #REQUIRED
 >
 <!ELEMENT content (requestId+) >

Example:

<?xml version="1.0" encoding="UTF-8"?>
 <response>
 <status>Success</status>
 <content>Response Has Been Accepted</content>
 </response>

APPENDIX "D"

```
<?xml version="1.0" ?>
<xsl:stylesheet xmlns:xsl="http://www.w3.org/1999/XSL/Transform" version="1.0">
  <!--
5      Copyright 2000 Qcorps Residential
      Author: Rick Tully
      -->
  <!-- GTC LONG DISTANCE -->
  <!-- root rule -->
10  <xsl:template match="/">
      <xsl:apply-templates select="/response/content/connect" />
  </xsl:template>
  <xsl:template match="connect">
      <!-- ROOT ELEMENT -->
15  <RESPONSE>
      <!-- REQUESTID ELEMENT -->
      <C0>
          <xsl:value-of select="requestID" />
      </C0>
20  <!-- END REQUESTID -->
      <!-- ACCOUNT NUMBER -->
      <C1 />
      <!-- ERROR INFO -->
      <C2 />
25  <!-- PROVIDER COMMENT -->
      <C3>Welcome To GTC Long Distance</C3>
      <!-- START DATE -->
      <C4 />
      <!-- ORDER STATUS -->
30  <C5>Accepted</C5>
  </RESPONSE>
  </xsl:template>
</xsl:stylesheet>
```

APPENDIX "E"

```
<?xml version="1.0" ?>
<xsl:stylesheet xmlns:xsl="http://www.w3.org/1999/XSL/Transform" version="1.0">
  <!--
5      Copyright 2000 Qcorps Residential
      This style sheet was designed for
      GTC to transform Qcorps xml response to
      xmldbms compatable document.
      Author: Rick Tully
10      -->
  <!-- GTC LONG DISTANCE -->
  <!-- root rule -->
  <xsl:template match="/">
    <xsl:apply-templates select="/response/content/connect" />
15  </xsl:template>
  <xsl:template match="connect">
    <!-- root xmldbms element -->
    <content>
      <xsl:choose>
20        <xsl:when test="@disconnect='yes'">
          <isdisconnect>y</isdisconnect>
        </xsl:when>
        <xsl:otherwise>
          <isdisconnect>n</isdisconnect>
25        </xsl:otherwise>
      </xsl:choose>
      <!-- all possible Qcorps elements in connect -->
      <xsl:apply-templates select="requestID" />
      <xsl:apply-templates select="resident" />
30      <xsl:apply-templates select="categoryData" />
      <xsl:apply-templates select="customData" />
      <xsl:apply-templates select="payment" />
      <xsl:apply-templates select="effectivetDate" />
      <international>
35        <xsl:apply-templates select="feature" />
      </international>
      <xsl:apply-templates select="billing" />
      <classofserv>ldi</classofserv>
      <!-- end of Qcorps elements -->
40    </content>
  </xsl:template>
  <!-- REQUESTID -->
  <xsl:template match="requestID">
    <requestId>
45    <xsl:apply-templates />
  </xsl:template>
</xsl:stylesheet>
```



```

        </requestId>
</xsl:template>
<!-- OFFERINGID -->
<xsl:template match="offeringID">
5      <id>
          <xsl:apply-templates />
        </id>
</xsl:template>
<!-- RESIDENT -->
10    <xsl:template match="resident">
        <first>
            <xsl:value-of select="name/first" />
        </first>
        <last>
15          <xsl:value-of select="name/last" />
        </last>
</xsl:template>
<!-- payment -->
<xsl:template match="payment">
20    <xsl:if test="@method='credit'">
        <xsl:apply-templates select="creditCard" />
    </xsl:if>
</xsl:template>
<!-- SERVICESTARTDATE -->
25    <xsl:template match="effectiveDate">
        <startdate>
            <xsl:apply-templates select="date" />
        </startdate>
</xsl:template>
30    <!-- APPOINTMENT -->
<xsl:template match="appointment" />
    <!-- PLAN -->
        <xsl:template match="plan" />
    <!-- PACKAGES -->
35    <xsl:template match="packages" />
    <!-- FEATURES -->
        <xsl:template match="features" />
    <!-- CUSTOMDATA -->
        <xsl:template match="customData">
40    <xsl:apply-templates select="element" />
</xsl:template>
<!-- CATEGORYDATA -->
<xsl:template match="categoryData">
        <xsl:apply-templates select="element" />
45 </xsl:template>

```

```

<!-- BILLING -->
<xsl:template match="billing">
  <billingmethod>
    <xsl:value-of select="@method" />
5    </billingmethod>
    <billingname>
      <xsl:value-of select="billingName" />
    </billingname>
    <xsl:choose>
10    <xsl:when test="@method='email'">
      <xsl:apply-templates select="email" />
      <billingaddress>
        <xsl:value-of select="../serviceLocation/address/streetAddress" />
        <xsl:value-of select="../serviceLocation/address/streetAddress2" />
15        <xsl:apply-templates select="../serviceLocation/address/aptNumber" />
      </billingaddress>
      <billingcity>
        <xsl:value-of select="../serviceLocation/address/city" />
      </billingcity>
      <billingstate>
        <xsl:value-of select="../serviceLocation/address/state" />
      </billingstate>
      <billingzipcode>
        <xsl:value-of select="../serviceLocation/address/zipcode" />
      </billingzipcode>
25    </xsl:when>
    <xsl:otherwise>
      <xsl:call-template name="billingaddress" />
    </xsl:otherwise>
30  </xsl:choose>
</xsl:template>
<!-- ***** -->
<!-- Secondary Elements -->
<!-- ***** -->
35 <!-- FEATURE -->
<xsl:template match="feature">
  <xsl:for-each select="feature">
    <xsl:if test="@id='F1'">1</xsl:if>
  </xsl:for-each>
40 </xsl:template>
<!-- CATEGORYDATA::ELEMENT -->
<xsl:template match="element">
  <xsl:if test="@id='applytodx'">
    <altphone>
45    <xsl:apply-templates select="value" />
  </xsl:if>
</xsl:template>

```

```

        </altphone>
    </xsl:if>
    <xsl:if test="@id='applyto'">
        <altphone>
5            <xsl:apply-templates select="value" />
        </altphone>
    </xsl:if>
    <xsl:if test="@id='C3'">
        <verify>
10            <xsl:apply-templates select="value" />
        </verify>
    </xsl:if>
</xsl:template>
<!-- ELEMENT::QUANTITY -->
15 <xsl:template match="quantity">
    <xsl:value-of select="quantity" />
</xsl:template>
<!-- CREDITCARD -->
20 <xsl:template match="creditCard">
    <creditname>
        <xsl:apply-templates select="accountHolder" />
    </creditname>
    <cardtype>
        <xsl:value-of select="substring(creditCardType,1,1)" />
25 </cardtype>
    <accountNumber>
        <xsl:value-of select="accountNumber" />
    </accountNumber>
    <expiryDate>
30        <xsl:value-of select="expiration" />
    </expiryDate>
    <xsl:call-template name="creditaddress" />
</xsl:template>
<!-- EMAIL -->
35 <xsl:template match="email">
    <email>
        <xsl:apply-templates />
    </email>
</xsl:template>
40 <!-- DATE -->
    <xsl:template match="date">
        <xsl:apply-templates select="month" />
        /
        <xsl:apply-templates select="day" />
45 /

```

```

        <xsl:apply-templates select="year" />
    </xsl:template>
    <!-- ***** -->
    <!-- ANCILLARY TEMPLATES -->
5    <!-- BILLING ADDRESS -->
    <xsl:template name="billingaddress">
        <billingaddress>
            <xsl:value-of select="address/streetAddress" />
            <xsl:value-of select="address/streetAddress2" />
10        <xsl:apply-templates select="address/aptNumber" />
        </billingaddress>
        <billingcity>
            <xsl:value-of select="address/city" />
        </billingcity>
15    <billingstate>
        <xsl:value-of select="address/state" />
    </billingstate>
    <billingzipcode>
        <xsl:value-of select="address/zipcode" />
    </billingzipcode>
20 </xsl:template>
    <!-- CREDIT ADDRESS -->
    <xsl:template name="creditaddress">
        <creditaddress>
            <xsl:value-of select="address/streetAddress" />
            <xsl:value-of select="address/streetAddress2" />
            <xsl:apply-templates select="address/aptNumber" />
        </creditaddress>
        <creditcity>
            <xsl:value-of select="address/city" />
        </creditcity>
30    <creditstate>
        <xsl:value-of select="address/state" />
    </creditstate>
35    <creditzipcode>
        <xsl:value-of select="address/zipcode" />
    </creditzipcode>
    </xsl:template>
    <!-- ADDRESS -->
40    <xsl:template match="address">
        <streetAddress>
            <xsl:value-of select="streetAddress" />
            <xsl:apply-templates select="aptNumber" />
        </streetAddress>
45    <city>

```

```

    <xsl:value-of select="city" />
  </city>
  <state>
    <xsl:value-of select="state" />
5  </state>
    <zipcode>
      <xsl:value-of select="zipcode" />
    </zipcode>
  </xsl:template>
10 <!-- APARTMENT -->
    <xsl:template match="aptNumber">
      apt.
      <xsl:apply-templates />
    </xsl:template>
15 </xsl:stylesheet>

```

APPENDIX "F"

```
<?xml version="1.0"?>
<XMLToDBMS Version="1.0">
  <Options/>
  <Maps>
    <ClassMap>
      <ElementType Name="content"/>
      <ToRootTable>
        <Table Name="requests"/>
      </ToRootTable>
      <PropertyMap>
        <ElementType Name="international"/>
        <ToColumn>
          <Column Name="international"/>
        </ToColumn>
      </PropertyMap>

      <PropertyMap>
        <ElementType Name="requestId"/>
        <ToColumn>
          <Column Name="connectid"/>
        </ToColumn>
      </PropertyMap>

      <PropertyMap>
        <ElementType Name="first"/>
        <ToColumn>
          <Column Name="firstname"/>
        </ToColumn>
      </PropertyMap>

      <PropertyMap>
        <ElementType Name="last"/>
        <ToColumn>
          <Column Name="lastname"/>
        </ToColumn>
      </PropertyMap>

      <PropertyMap>
        <ElementType Name="altphone"/>
        <ToColumn>
          <Column Name="btn1"/>
        </ToColumn>
      </PropertyMap>

      <PropertyMap>
        <ElementType Name="email"/>
        <ToColumn>
          <Column Name="billingemail"/>
        </ToColumn>
      </PropertyMap>

      <PropertyMap>
        <ElementType Name="billingmethod"/>
        <ToColumn>
          <Column Name="billingmethod"/>
        </ToColumn>
      </PropertyMap>

      <PropertyMap>
        <ElementType Name="billingname"/>
        <ToColumn>
          <Column Name="billingname"/>
        </ToColumn>
      </PropertyMap>
    </ClassMap>
  </Maps>
</XMLToDBMS>
</Options>
</?xml>
```



```

<PropertyMap>
  <ElementType Name="billingaddress"/>
  <ToColumn>
    <Column Name="billingaddress"/>
  </ToColumn>
</PropertyMap>
<PropertyMap>
  <ElementType Name="billingcity"/>
  <ToColumn>
    <Column Name="billingcity"/>
  </ToColumn>
</PropertyMap>
<PropertyMap>
  <ElementType Name="billingstate"/>
  <ToColumn>
    <Column Name="billingstate"/>
  </ToColumn>
</PropertyMap>
<PropertyMap>
  <ElementType Name="billingzipcode"/>
  <ToColumn>
    <Column Name="billingzip"/>
  </ToColumn>
</PropertyMap>
<PropertyMap>
  <ElementType Name="shippingname"/>
  <ToColumn>
    <Column Name="shipname"/>
  </ToColumn>
</PropertyMap>
<PropertyMap>
  <ElementType Name="shippingaddress"/>
  <ToColumn>
    <Column Name="shipaddress"/>
  </ToColumn>
</PropertyMap>
<PropertyMap>
  <ElementType Name="shippingcity"/>
  <ToColumn>
    <Column Name="shipcity"/>
  </ToColumn>
</PropertyMap>
<PropertyMap>
  <ElementType Name="shippingstate"/>
  <ToColumn>
    <Column Name="shipstate"/>
  </ToColumn>
</PropertyMap>
<PropertyMap>
  <ElementType Name="shippingzipcode"/>
  <ToColumn>
    <Column Name="shipzip"/>
  </ToColumn>
</PropertyMap>
<PropertyMap>
  <ElementType Name="cardtype"/>
  <ToColumn>
    <Column Name="cardtype"/>
  </ToColumn>
</PropertyMap>
<PropertyMap>

```

```

        <ElementType Name="accountNumber"/>
        <ToColumn>
            <Column Name="creditcard"/>
        </ToColumn>
    </PropertyMap>
    <PropertyMap>
        <ElementType Name="creditname"/>
        <ToColumn>
            <Column Name="creditname"/>
        </ToColumn>
    </PropertyMap>
    <PropertyMap>
        <ElementType Name="creditaddress"/>
        <ToColumn>
            <Column Name="creditaddress"/>
        </ToColumn>
    </PropertyMap>
    <PropertyMap>
        <ElementType Name="creditcity"/>
        <ToColumn>
            <Column Name="creditcity"/>
        </ToColumn>
    </PropertyMap>
    <PropertyMap>
        <ElementType Name="creditstate"/>
        <ToColumn>
            <Column Name="creditstate"/>
        </ToColumn>
    </PropertyMap>
    <PropertyMap>
        <ElementType Name="creditzipcode"/>
        <ToColumn>
            <Column Name="creditzip"/>
        </ToColumn>
    </PropertyMap>
    <PropertyMap>
        <ElementType Name="expiryDate"/>
        <ToColumn>
            <Column Name="expiredate"/>
        </ToColumn>
    </PropertyMap>
    <PropertyMap>
        <ElementType Name="classofserv"/>
        <ToColumn>
            <Column Name="classofserv"/>
        </ToColumn>
    </PropertyMap>
    <PropertyMap>
        <ElementType Name="startdate"/>
        <ToColumn>
            <Column Name="orderdate"/>
        </ToColumn>
    </PropertyMap>
    <PropertyMap>
        <ElementType Name="verify"/>
        <ToColumn>
            <Column Name="verify"/>
        </ToColumn>
    </PropertyMap>
    <PropertyMap>
        <ElementType Name="isdisconnect"/>

```

```
<ToColumn>  
  <Column Name="isdisconnect"/>  
</ToColumn>
```

```
</PropertyMap>
```

```
</ClassMap>
```

```
</Maps>
```

```
</XMLToDBMS>
```

5